

*SC 6545-8-W04

DEPARTMENT OF THE ARMY SUPPLY CATALOG

*SETS, KITS AND OUTFITS
COMPONENT LIST/HAND RECEIPT*

MEDICAL EQUIPMENT SET
WATER DISTRIBUTION AND WASTE

NSN: 6545-01-480-6913

LIN: W53373

*THIS PUBLICATION IS AN INITIAL SET

HEADQUARTERS, DEPARTMENT OF THE ARMY

30 MAY 2006

DISTRIBUTION STATEMENT, A Approved for publication release; distribution is unlimited

SECTION I - INTRODUCTION

1. GENERAL.

a. This catalog provides an alphabetical listing of Medical Equipment Set, Water Distribution and Waste.*

b. The component listing/hand receipt is identified by a four-segment symbol:

- (1) The first segment (SC) indicates Supply Catalog.
- (2) The second segment (6545) identifies the Federal Supply Classification (FSC).
- (3) The third segment (8) identifies the compiler.
- (4) The fourth segment (W04) distinguishes the SKO from others in the same FSC.

c. The title *SKO* is authorized by The Army Authorization Documents Systems (TAADS).

d. The term SKO in the SC introduction will be replaced by the specific title for each SC (i.e., MES, DES, MMS, etc.).

e. This Catalog is not an authorization for requisitioning NSN 6545-01-480-6913. Modification Table of Organization and Equipment (MTOE) or other Department of the Army (DA) authorization document(s) may requisition components listed in quantities indicated when the set is authorized.

2. PURPOSE.

This SC provides initial allowances and quantities of supplies and equipment to repair and maintain the Water Distribution and Wastewater Management System, MF2K. This constitutes the minimum basic load to sustain this SC.

*This is an initial set.

3. RESPONSIBILITY.

a. The Surgeon General (TSG) is responsible for the overall management of the Medical Equipment Sets (MES) and the Dental Equipment Sets (DES) for the Army and also approves the composition of the major MES/DES. Additionally, TSG is responsible for planning, programming, and budgeting for the initial issue of selected MES/DESs to the active Army and or all procurement-appropriation-funded medical equipment, regardless of whether it is in an initial issue or replacement.

b. The U.S. Army Medical Department Center and School (USAMEDD C&S) designs, develops, and recommends the composition of MES/DES, Medical Supply Planning Modules (MSPM), and Optical Resupply Sets (ORSS).

c. The U.S. Army Medical Materiel Agency (USAMMA) coordinates requirements with the Defense Supply Center Philadelphia (DSCP). The USAMMA also performs staff-management actions as directed by TSG and as outlined in AR 40-61.**

d. In conjunction with the Army Medical Department Center and School (AMEDD C&S), Directorate of Combat and Doctrine Development, the USAMMA develops the requirements. The OTSG coordinates programming and budgeting from the proper appropriation (OMA, OMAR, OMNG, OPA, or Stock Fund) for procurement of newly developed or significantly revised MES/DES and for Associated Support Items of Equipment (ASIOE).

e. After initial fielding, MACOMs (in addition to OCAR and the ARNG) are responsible for follow-up requisitioning, storing, and maintaining those MES/DES and equipment authorized to be on-hand in TOE units or TDA activities. MACOMs program and budget for replacement of consumable and expense equipment components, and for minor changes to MES/DES on hand at TOE units.

**Reference AR 40-61 dated 25 January 1995, Section I, Abbreviations Glossary.

SECTION I - INTRODUCTION

4. EXPLANATION AND USE OF COLUMNS.

The following information is a brief description of the contents and layout of data provided to user(s) of this Supply Catalog:

a. ACT (Action Code). A one-position alphabetic code that records the action taken in a component list/hand receipt. They are defined as:

C (CHANGE)	Indicates a change to the AMDF unit of issue, set measurement quantity/unit of issue, ARC, or Remarks Code since the previous publication.
D (DELETION)	Indicates the NSN has been deleted and not replaced.
N (NEW)	Indicates the NSN was not previously included in the basic publication or changes.
R (REPLACEMENT)	Indicates the NSN has been replaced or changed.

b. ILLUSTRATION/NATIONAL STOCK NUMBER (NSN). Not all the NSNs in this SC are represented by an illustration. The items that have an illustration show an illustration number in the "ILL NO" column of Section II, Component Listing/Hand Receipt (CL/HR). For easy reference, the illustration number is also listed under each illustration.

(1) The illustrations may not be exact representations of the items in the assemblage since the products of the various manufacturers may vary in appearance. The statement "ITEM NOT ILLUSTRATED" indicates that an illustration should not appear in the area given for the NSN.

c. ITEM DESCRIPTION. The item descriptions are listed in alphabetical sequence by item name with additional descriptive information required for identification.

(1) The first description shown is that of the MES/DES. Subsequent descriptions are for the components by item names in alphabetical and ascending size sequence within each Accounting Requirements Code (ARC) group {i.e., Nonexpendable (N), Durable (D), and Expendable (X)}.

(2) In addition to individual items, a major Unit Assemblage (UA), referred to as the "parent" UA, may contain a minor UA, referred to as "Level 1" UA. These Level 1 UAs consist of individual items and possibly other minor UAs referred to as a "Level 2" UA. The following procedures have been implemented to identify the components of the Level 1 and Level 2 UAs within the parent UA. All Level 1 and 2 UA components will be displayed in the ARC sequence.

(3) All Level 1 and 2 UAs will be displayed in the normal ARC/alphabetical sequence. The NSNs of Level 1 and 2 UAs and their components will not contain dashes.

(4) Each Level 2 UA and its components will be identified with an alpha code next to the NSN. The first Level 2 UA will be assigned the letter "A." The second Level 2 UA, if any, will be assigned the letter "B", etc. The remaining Level 1 components will continue after the last component of the Level 2 UA.

(5) In some instances a parent UA will have another major UA as its component. The components of the UA will be displayed in the same ARC sequences and its component NSNs will not contain dashes.

(6) The remaining parent Level UA components will follow the last component of a Level 1 or Level 2 UA. This parent UA component can readily be identified by dashes in the NSN.

(7) Manufacturer's code, part number, and/or the applicable specification references follow the description, when applicable.

SECTION I - INTRODUCTION

d. RMKS (REMARKS). Space reserved for notes, which are explained in the "Special Information" paragraph.

e. ARC (ACCOUNTING REQUIREMENTS CODE). This is a one-position alphabetic code that identifies the way an item is accounted for by the Army. One of the following codes must be entered here.

N - NONEXPENDABLE	This code identifies items, which are not used up and keep their identity throughout their life and must be accounted for in the property book.
D - DURABLE	This code identifies items that are not used up. These items keep their identity throughout their life. Items identified by this code are accounted for by hand receipt or other similar document.
X - EXPENDABLE	This code identifies items that will be used up. These items do not need to be entered on hand receipts; however, preprinted hand receipts list expendable items for information purposes only.

f. CIIC (CONTROLLED ITEM INVENTORY CODE). This is a one-position alphabetic/numeric code that indicates the security classification, security risk, or pilferage controls required for storage and transportation of DOD assets. *DA PAM 710-2-1* identifies those items that must be inventoried monthly. The CIIC code applicable to components of this SC unless otherwise indicated in the CIIC column, is U (UNCLASSIFIED).

g. UI (UNIT OF ISSUE). This is a two-position code that shows the smallest quantity that an item can be requisitioned and issued.

h. QTY AUTH (QUANTITY AUTHORIZED). This is the quantity authorized to be on hand for each end item or component of an end item.

i. QUANTITY ON HAND (A Thru F). These columns are for the actual quantity on hand for each component listed.

5. ABBREVIATIONS:

Standard abbreviations are listed in *AR 310-50 (Authorized Abbreviations and Brevity Codes)* and the *DoD Medical Catalog, Introduction (Authorized Abbreviations Referenced to Terms)*. Some words will be truncated (with vowels removed that do not meet the above references) in order to fit a limited-space nomenclature field. Army acronyms used in this SC are defined in *AR 40-61, Glossary, Section I Abbreviations*. Nonstandard abbreviations used in this publication are given in the following lists:

SECTION I - INTRODUCTION

Abbreviation	Explanation	Abbreviation	Explanation
ABS	Absorbent, Absorbable	BAT	Battery
ABSORB	Absorbable	BAT CHAR	Battery Charger
AC	Alternating Current	BAT/OP	Battery Operated
ACET	Acetate	BEVL	Bevel
ACR	Acrylic	BIO	Biological
ACRY	Acrylic	BIOLOG	Biological
ADH	Adhesive, Adhere	BICAR	Bicarbonate
ADJ	Adjustable	BILI	Bilirubin
ADL	Adult	BILIR	Bilirubin
ADMIN	Administration	BLD	Blood
ADU	Adjustable	BLDE	Blade
AE	Antiembolism	BLK	Black
AERS	Aerosol	BLN	Blunt
AHP	Angle Handpiece	BNK	Bank
AL	Aluminum, Alloy	BR	Braided
ALC	Alcohol	BRST	Breast
ALUM	Aluminum	BT	Bottle
AMPS	Amperes		
ANALYZ	Analyzer	C	Celsius, Cycle, Centigrade
ANAS	Anastomosis	C2	Carbon Dioxide
ANER	Aneroid	CAL	Calcium
ANES	Anesthesia	CAP	Capsule, Capacity
ANG	Angle	CAPS	Capsules
ANGIO	Angioplasty	CARB	Carbide
ANGLD	Angled	CARDIO	Cardiovascular
AORT	Aorta	CART	Cartridge
APP	Apparatus	CART-NDL	Cartridge Needle
APPAR	Apparatus	CAS	Cassette
APPROX	Approximately	CASS	Cassette
APPRX	Approximately	CAT	Catheter
ARM	Armed	CATH	Catheter
ASIF	Association For The Study of Internal Fixation	CATH&NDL	Catheter and Needle
ASST	Assortment	CATH-TUBE	Catheter-Tube
AUTO	Automatic	CH	Child
AUTOCL	Automatic Closure	CHAM	Chamber
	Autoclavable	CHAMB	Chamber
		CHEM	Chemical
BACITR	Bacitracin	CHI-ADU	Child-Adult
BAL	Balloon	CHL	Chloride
BAND	Bandage	CHLD	Child
		CHLORAM	Chloramphenicol

SECTION I - INTRODUCTION

Abbreviation	Explanation	Abbreviation	Explanation
CHLORAME	Chloramphenicol	DEPMEDS	Deployable Medical Systems
CHRM	Chrome	DES	Dental Equipment Set
CIR	Circle	DET	Detachable
CLIN	Clinical	DETACH	Detachable
CLINDAMY	Clindamycin	DETERG	Detergent
CLO	Closure	DEVEL	Developer
CLR	Clear	DEX	Dexamethasone
CM	Centimeter	DFLCTNG	Deflecting
COL	Collecting	DIA	Diameter
COLL	Collection, Collect	DIAG	Diagnostic, Diagonal
COLLECTI	Collecting	DIAGN	Diagnostic
COMB	Combination	DFLCTNG	Deflecting
COMP	Compressor	DILUT	Diluting
CONCEN	Concentration	DIS	Disposable
CONN	Connector	DISP	Disposable
CONSEC	Consecutive	DISPO	Disposable
COT	Cotton	DISPEN	Dispensers
CR	Cream	DISPSNERS	Dispensers
CRES	Crescent	DP	Deep, Durable Press
CRM	Corrosion-Resisting Metal	DRESS	Dressing
CRS	Corrosion-Resisting Steel		
CRVD	Curved	EA	Each
CS	Carbon Steel	ECG	Electrocardiogram
CTN	Cotton	ELAS	Elastic
CU	Cubic	ELEC	Electric
CULT	Culture	EDTA	Ethylenediaminetetra Acetic Acid
CUSH	Cushion		
CVD	Curved	EKG	Electrocardiogram
CVR	Cover	ELECTROSURG	Electrosurgical
CVRS	Covers	ENDOTRAC	Endotracheal
CYL	Cylinder, Cycle, Cylindrical	ENDOTRACH	Endotracheal
CYLIN	Cylindrical	ENE	Enema
		EPIN	Epinephrine
D	Deep	EQ	Equivalent
DA	Double Armed	EQUI	Equivalent
DARKRM	Darkroom	EQUIP	Equipment
DBL	Double	EQUIV	Equivalent
DC	Direct Current	ERYTHROM	Erythromycin
DEG	Degree	EX	Examining
DEN	Dental	EXAME	Examining
DENT	Dental	EXP	Explosion

SECTION I - INTRODUCTION

Abbreviation	Explanation	Abbreviation	Explanation
EXT	Extension, Extra	H	High
F/	For	HCL	Hydrochloride
FAB	Fabrication	HEMO	Haemostatic
FABRCTN	Fabrication	HEXAG	Hexagonal
F/ALL	For All	HG	Height
FED	Federal	HI	High/Highly
FIB	Fiber	HNDL	Handle
FILT	Filter	HNDPC	Handpiece
FIX	Fixer, Fixed	HOR	Horizontal
FL	Fluid	HORIZ	Horizontal
FLD	Field	HOSP	Hospital
FLEX	Flexible	HRS	Hours
FLM	Film	HTD	Heated
FLR	Floor	HYDROCOR	Hydrocortisone
FNGR	Finger	HYDROX	Hydroxide
FOLD	Folding	HYP	Hypodermic
FRICT	Friction	HYPO	Hypodermic
FOUNT	Fountain	HZ	Hertz
FR	French		
FRM	Form	I	Inch
FT	Feet/Foot	ID	Inside Diameter / Identification
FST	Fastener	ILLUM	Illuminator
F/SZ	For Size	IMP	Impregnated
		IMPREG	Impregnated
GA	Gage	IN	Inch, Injection
GAL	Gallon	IND	Individually/Individual
GEL	Gelatin	INDI	Indicating
GEN	General	INDIC	Indicating
GL	Gallon	INF	Infant
GLA	Glass	INF-CH-AD	Infant-Child-Adult
GLAS	Glass	INFO	Information
GLU	Glucose	INJ	Injection
GM	Gram	INS	Inserts
GMS	Grams	INST	Instrument
GP	General Purpose	INSTR	Instrument(s)
GRA	Gramicidin	INSUL	Insulated
GRP	Group	INTERMIT	Intermittent
GYN	Gynecology	INTRA	Intravenous
		INTRAVEN	Intravenous
		INTRO	Introduction
		INVER	Inverted

SECTION I - INTRODUCTION

Abbreviation	Explanation	Abbreviation	Explanation
INW	Inch Wide	MERC	Mercury
IOTHALA	Iothalamate	MERTH-OD-FORM	Merthiolate-Iodine-Formalin
I.S.	Individually Sealed	METR	Metered
ISO	Isopropyl	MG	Milligram
IV	Intravenous	MICON	Miconazole
		MICROSURG	Microsurgery
KET	Ketone(s)	MIN	Minimum, Minute
KG	Kilogram	MISS	Medical Instrument Supply Set
KILO	Kilogram	MIX	Mixing
KT	Kit	ML	Milliliter
		MM	Millimeter
L	Long	MODIF	Modified
LAB	Laboratory	MONIT	Monitor
LACT	Lactated	MONO	Monofilament
LG	Length, Long, Large	MR	Meter
LGTH	Length	MT	Mount
LI	Liter	MTD	Mounted
LIQ	Liquid		
LO	Low	NAS	Nasal
LPM	Liters Per Minute	NASOPHAR	Nasopharyngeal
LRG	Large	NDL	Needle
LRGE	Large	NEG	Negative
LSE	Leaf	NF	National Formulary
LT	Light	NIT	Nitrate
		NITR	Nitrite, Nitrate
M	Meter	NLD	Needle
MACH	Machine	NO	Number
MAG	Magnesium	NONADJ	Nonadjustable
MAGNES	Magnesium	NONABS	Nonabsorbable, Nonabsorbent
MAN	Manual	NONAUTO	Nonautoclavable
MATL	Materials	NONAUTOCL	Nonautoclavable
MAX	Maximum	NONCORR	Noncorrosive
MCG	Microgram	NONFLAM	Nonflammable
MCGM	Microgram	NONSTER	Nonsterile
MECH	Mechanical/Mechanic	NONWOV	Nonwoven
MED	Medium, Medical, Medicinal	NONWVN	Nonwoven
MEDROXYPR	Medroxyprogesterone	NORM	Normal
MEG	Megetholate	NYST	Nystatin
MEQ	Milliequivalents		
MER	Mercury	OB	Obstetrical
		OCCU	Occlusion

SECTION I - INTRODUCTION

Abbreviation	Explanation	Abbreviation	Explanation
O/D	Outside Diameter	POSTOP	Post Operative
OD	Outside Diameter, Olive Drab	POT	Potassium
OP	Operated, Open	POVIDONE-IOD	Povidone-Iodine
OIN	Ointment	POV-IOD	Povidone-Iodine
OINT	Ointment	PR	Pair
OPER	Operated/Operating	PREP	Preparation
OPHTH	Ophthalmic	PRES	Pressure
OPNG	Opening	PRF	Proof
OPT	Optic	PRIM	Primary
O.R.	Operating Room	PROC	Procedure
ORAN	Oranasal	PROCH	Prochlorperazine
ORTHO	Orthopedic	PROHIB	Prohibits
OSCILL	Oscillations	PROT	Protein
O/T	Outlet	PROTECT	Protective
OXY	Oxygen	PRTBLE	Portable
OZ	Ounce	PRTO	Protein
P2	Oxygen / Partial Pressure	PSI	Pounds Per Square Inch
PAPR	Paper	PT	Pint, Points
PAR	Partial	PTBL	Portable
PAT	Patient	PTS	Points
PDWR	Powder	UR	Purpose
PED	Pediatric	PURP	Purpose
PG	Package	PWDR	Powder
PH	Potential Hydrogen		
PHARYN	Pharyngeal	QS	Sufficient Quantity
PHENYLEP	Phenylephrine	QT	Quart
PHENYLPRO	Phenylpropanolamine		
PHOS	Phosphate	RAD	Radiological
PL	Plus, Plated	RADGR	Radiographic
PLAS	Plastic	RADIO	Radiopaque, Radiological
PLTD	Plated	RADIOP	Radiopaque
PLYSTR	Polyester	R-ANG	Right Angle
PNEU	Pneumatic	RAY	Rayon
POLY	Polyester, Polyurethane, Polyethylene,	RBRR	Rubber
POLYGL	Polyglycolic, Polyglactin	RD	Round, Radiographic
POLYMY	Polymyxin	REAG	Reagent
POLYPROP	Polypropylene	REC	Rectal
POLYUR	Polyurethane	RECEP	Receptacle
POR	Portable	RECIP	Reciprocating, Reciprocation
POS	Positive, Position	RECT	Rectal
		REF	Refrigerator

SECTION I - INTRODUCTION

Abbreviation	Explanation
REFRIG	Refrigeration, Refrigerator
REG	Regular, Regulator
REINF	Reinforced
REMOV	Removable
RES	Rest
RESP	Respiratory
REV	Reverse
REVERS	Reversible
RH	Rhodium
RNG	Ring
RO	Roll
RPM	Revolutions Per Minute, Rotations Per Minute
RUB	Rubber
RUBB	Rubber
SA	Single-Armed
SE	Set
SEA	Sealed
SEAL	Sealed
SEL	Self
SEN	Sensitive
SENS	Sensitive
SENSI	Sensitive
SEP	Separate
SERA	Serum
SET	Setting
SFTY	Safety
SGL	Single
SH	Sheet
SHPE	Shaped, Shape
SIL	Silicone
SIMETH	Simethicone
SM	Small
SML	Small
SMPL	Sample
SNG	Single
SOD	Sodium
SOL	Solution, Soluble
SPD	Speed

Abbreviation	Explanation
SPEC	Specimen
SPHER	Spherical
SPHYGMO	Sphygmomanometer
SQ	Square
SS	Stainless Steel
STD	Standard
STER	Sterile, Sterilize, Sterilizing, Sterilized
STERIL	Sterilization
STERLZR	Sterilizer
STETHO	Stethoscope
STL	Steel
STR	Strength, Straight
SUBNORM	Subnormal
SUCT	Suction
SUL	Sulfate
SULF	Sulfate
SUPOS	Suppositories
SURG	Surgical, Surgery
SURGY	Surgery
SUS	Suspension
SUST REL	Sustained Release
SUT	Suture
SYN	Synthetic
SYNTH	Synthetic
SYR	Syringe
SYR NDL	Syringe Needle
SYS	System
SZ	Size
TABS	Tablets
TEMP	Temperature
TENN	Tennessee
TERM	Terminal
TH	Thick
THK	Thick
THR	Thread
TOW	Towel
TP	Tip
TRACH	Tracheal, Tracheotomy

SECTION I - INTRODUCTION

Abbreviation	Explanation
TREAT	Treatment
TUNGS	Tungsten
TY	Type
U	University
UN	Unit
UNC	Unified National Coarse
UNF	Unified National Fine
URE	Urethral
URETH	Urethral
UNIV	Universal
UNIVER	Universal
URIN	Urinalysis
UROBIL	Urobilinogen
USP	United States Pharmacopoeia
V	Volt(s)
VAG	Vaginal
VAL	Valve
VAR	Variable
VIS	Visual
VOL	Volume
VENT	Vented

Abbreviation	Explanation
VERT	Vertical
VET	Veterinary
VS	Versus
W/FLEX	With Flexible
W/HDL	With Handle
WHL	Whole
W/O	Without
W/	With
W	Wide/Watts, Wide, With
W/BAT-CHAR	With Battery Charger
WBC	White Blood Cell
WD	Wide
W/SEP	With Separate
WT	Weight
WVN	Woven
X	Extra
XLGE	Extra Large
XLR	Extra Large
YD/YDS	Yard(s)

SECTION I - INTRODUCTION

6. SPECIAL INFORMATION.

a. The items listed in Section III of this SC beginning with Page III-003 are ASIOE end items dedicated to the operation and/or maintenance of this medical/dental assemblage.

b. ASIOE are separately documented into TOE/The Army Authorization Documents System (TAADS) and are not to be considered components of this medical/dental assemblage.

NOTE: This SC does not have a Section III.

c. They are listed in this section for information purposes only and do not constitute an additional authorization. Total authorization is reflected on the Unit's MTOE.

d. To assist physicians in prescribing items initially supplied with this set, a Therapeutic Index constructed in accordance with the American Hospital Formulary Service (AHFS) is provided in section IV. The Therapeutic Index may not be required for all SCs. This index lists the FSC 6505 components of the major assemblage with a therapeutic classification in NSN sequence within each therapeutic class.

NOTE: This SC does not have a Section IV.

e. Permission to use the Pharmacological-Therapeutic Classification Systems of the AHFS has been granted by the American Society of Hospital Pharmacists. The Society is not responsible for the accuracy of transpositions, or additions, or excerpts from the original context. For complete information concerning all drugs, consult the AHFS, copyright 1959-1996, American Society of Hospital Pharmacists, Inc., All Rights Reserved.

f. REMARKS COLUMN: The symbols shown in the Remarks Column apply to this SC only and include the following:

- F Subject to Damage by Freezing
- G Requires refrigeration between 2 degrees to 8 degrees Centigrade (35 degrees to 46 degrees Fahrenheit)
- I Flammable or Oxidizing
- P Potency-Type Items

g. COMPONENTS LISTINGS.

(1) To support Army Medical Department Activities, the USAMMA also provides disks for UA component listings in lieu of hard-copy versions. For each UA requested, the disk will consist of UA information contained in the following ways:

- Text/raw data file,
- Report File (which is in the same four-section format as the current hard-copy component listing), and
- An Excel file.

A brief instruction guide on "How to Access and Print the Information" is included on the disk. This guide contains the data record layout of the Text file allowing the user to merge the data with existing software of either Lotus or Access.

(2) Activities that have automated capabilities and choose the disk method, should send their complete address and UIC along with all UAs authorized under that UIC to:

Commander
U.S. Army Medical Materiel Agency
ATTN: MCMR-MMO-AS
1423 Sultan Dr., Suite 100
Fort Detrick MD 21702-5001

SECTION I - INTRODUCTION

(3) Component authorizations are published in medical materiel set computer listings available from the USAMMA and in the appropriate supply catalog (SC 6545-8 Series). Revisions to components are published on the USAMMA web site - **www.usamma.army.mil/**.

(4) Publication of current component set authorizations constitutes authority for updating assemblages in respective units and serves as the authorization document of assemblage components.

(5) Commanders of DEPMEDS Units will continue to utilize the UA list initially fielded with the unit until authorized for update by the USAMMA. This may result in the use of several UA listings with different dates for different assemblages until a new upgrade of the set is provided by the USAMMA.

(6) Commanders who do not have automated capabilities and need the hard copy listings should continue to request a current-UA listing by submitting requests through e-mail to:
usammacrm@amedd.army.mil
or writing to:

Commander
U.S. Army Medical Materiel Agency
ATTN: MCMR-MMQ-AS
Fort Detrick MD 21702-5001
Telephone DSN 343-4309
COMM 301-619-4309

The request should identify the specific NSN for medical set(s) required. In addition on the request, you may also identify the UA, Nomenclature, or LIN.

h. AMDF INCOMPATIBILITIES. If catalog incompatibilities are discovered between this publication and the AMDF (Army Master Data File), the latter will govern.

i. SECTION VI - NSNS DELETED FROM PREVIOUS PUBLICATIONS AND APPLICABLE REPLACEMENTS.

(1) This Section, if applicable, appears in all editions subsequent to the initial edition of the Supply Catalog.

(2) It includes all deletions and replacements made to Section II since the previous edition.

7. ACCOUNTABILITY.

a. Page II-003, Section II (FROM:) identifies the element from which the property is issued. Enter the name of the organization, unit, section, or squad that issues the property.

b. The block (TO:) identifies the element to which the property is issued. Enter the name and rank of the person receiving the property. TOE/MTOE paragraph, line number, and job title may be added as optional information.

c. HAND RECEIPT NUMBER: Enter a locally assigned number.

d. END ITEM STOCK NUMBER: Enter the NSN of the MES/DES.

e. END ITEM DESCRIPTION: Enter a short description of the MES/DES.

f. PUBLICATION NUMBER: SC Number

g. PUBLICATION DATE: SC Effective Date.

h. QUANTITY ON HAND: These columns are for the actual quantity on hand for each component listed.

(1) Enter the quantity on-hand for each component listed. Line out all unused blocks in columns with recorded quantities.

SECTION I - INTRODUCTION

(2) Advance all quantities to the next column when quantities change. Quantities must be advanced when changing hand-receipt holders.

(3) The person receiving the property will sign, enter his/her rank, and date the proper quantity column on the last page (ink entry). The last page is the last-numbered page and may be an odd or even number. The last page may be reserved for signature only. (The original page will have an original signature; the copy may have a duplicate/reproduced signature.)

8. TRANSPORTATION INFORMATION.

a. Supplies will be packed in containers suitable for operations under field conditions.

b. Packages or containers will ordinarily be of such size and weight as to permit the required handling

c. When practicable, crating will be such as to permit equipment to be readily accessible by removing the front, side, or top of the container.

d. To reduce the overall bulk when this assemblage is packed by the Depot, any empty chests that appear as components on the equipment list will be utilized wherever possible as shipping containers.

e. The following information is applicable to this MES/DES.

Total Weight and Volume of this MES/DES:

Weight:	498.418
Volume:	386.627

9. POWER REQUIREMENTS. An external power source is required to support this MES/DES. The following NSNs operate on 115V, single-phase power with wattage requirements as shown:

NOTE: THIS SUPPLY CATALOG DOES NOT CONTAIN ANY POWER REQUIREMENTS.

10. REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS.

a. You can help improve this publication. If you find any grammatical or publishing errors please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publication and Blank Forms) direct to:

Commander
US Army Medical Materiel Agency
ATTN: MCMR-MMO-AS
1423 Sultan Dr., Suite 100
Fort Detrick MD 21702-5001

or via e-mail to:

usammacrm@amedd.army.mil

b. To recommend any additions or changes to the set components, you must also submit the DA Form 2028. Mail the Form, to include justification, to:

Commander, AMEDD Center and School
ATTN: MCCA FC
1400 East Grayson ST
Fort Sam Houston, TX 78234-6123

SECTION II: ILLUSTRATED COMPONENT LIST/HAND RECEIPT

6545-01-480-6913
NOT ILLUSTRATED



ILL. NO. 00001

SC 6545-8-W04



ILL. NO. 00002

5110-00-289-9657
NOT ILLUSTRATED

5120-00-061-8545
NOT ILLUSTRATED

5120-00-223-7397
NOT ILLUSTRATED

II-002

5120-00-010-7916
NOT ILLUSTRATED

SECTION II. ILLUSTRATED
COMPONENT LIST/HAND RECEIPT
FOR USE OF THIS HAND
RECEIPT SEE SECTION I.

From:

To:

Hand Receipt No:

"

END ITEM STOCK NUMBER		ITEM DESCRIPTION		PUBLICATION NUMBER		PUBLICATION DATE		QUANTITY	
6545-01-480-6913		WATER DIST & WASTE SE		SC 6545-8-W04		30 May 06			

ACT	STOCK NUMBER	ILL. NO	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY AUT	QUANTITY ON HAND				
									A	B	C	D	E
	6545-01-480-6913		WATER DISTRIBUTION & WASTE WATER MANAGEMENT SYS SET MF2K;		X	U	SE	1.00					
			1225 W53373										
	5110-00-277-4590	00001	BLADE HAND HACKSAW STEEL BLADE 18 TEETH PER INCH 12 IN LG 10S		D	M	BD	1.00					
			05047 B94.52M										
C	5110-00-241-9151	00002	FILE ROUND SECOND CUT 8 IN LG 3/4 IN W		D	M	EA	1.00					
			10001 41F941										
	5110-00-289-9657		FRAME HAND HACKSAW ADJUSTS FOR 10-12 IN BLADES		D	M	EA	1.00					
			06542 00181										
	5120-00-061-8545		HAMMER HAND MACHINIST TYPE II CLASS I STYLE B		D	M	EA	1.00					
			80244 5120-00-061-8545										
	5120-00-223-7397		PLIERS SLIP JOINT 8"OA/LG A77 STR NOSE		D	M	EA	1.00					
			20705 G263P										
	5120-00-010-7916		SCREWDRIVER FLAT TIP PLAS HANDLE STEEL BLADE/FRAME 10IN		D	M	EA	1.00					
			1EH06 5120-00-010-7916										

SC 6545-8-W04

9

5140-00-498-8772
NOT ILLUSTRATED

5120-00-277-1479
NOT ILLUSTRATED

4730-00-869-5246
NOT ILLUSTRATED

4730-00-929-0791
NOT ILLUSTRATED

4010-00-228-9948
NOT ILLUSTRATED

4730-01-007-9254
NOT ILLUSTRATED

4730-00-909-8627
NOT ILLUSTRATED

II-004

SECTION II. ILLUSTRATED
COMPONENT LIST/HAND RECEIPT
FOR USE OF THIS HAND
RECEIPT SEE SECTION I.

From:

To:

Hand Receipt No:

END ITEM STOCK NUMBER		ITEM DESCRIPTION		PUBLICATION NUMBER		PUBLICATION DATE		QUANTITY	
6545-01-480-6913		WATER DIST & WASTE SE		SC 6545-8-W04		30 May 06			

ACT	STOCK NUMBER	ILL. NO	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY AUT	QUANTITY ON HAND				
									A	B	C	D	E
	5140-00-498-8772		TOOL BOX PORTABLE		D	M	EA	3.00					
			80063 CH77										
	5120-00-277-1479		WRENCH PIPE 18" ALUMINUM TYPE II CLASS C		D	M	EA	2.00					
			80244 5120-00-277-1479										
	4730-00-869-5246		CAP QUICK DISCONNECT ALUM ALLOY CAM-LOCKING ALL ENDS		X	U	EA	4.00					
			58536 A-A-59326/10A										
	4730-00-929-0791		CAP QUICK DISCONNECT ALUMINUM ALLOY 356 OR D712.0		X	U	EA	5.00					
			53964 300642										
	4010-00-228-9948		CHAIN AND ATTACHMENT SAFETY CHAIN .018 IN X 12.00 L STEEL	M	X	U	BX	1.00					
			81348 RRC271										
	4730-01-007-9254		CLAMP 1-1/2 IN NOM SIZE X 62 IN WIDE		X	U	EA	20.00					
			77414 PG-S										
	4730-00-909-8627		CLAMP HOSE TYPE H 3/8 IN W X 2 1/2 ID		X	U	EA	100.00					
			01276 FF9311-36										

SC 6545-8-W04

9

4730-01-164-9254
NOT ILLUSTRATED

4730-00-360-0592
NOT ILLUSTRATED

4730-00-948-1722
NOT ILLUSTRATED

4730-01-223-4931
NOT ILLUSTRATED

4730-00-496-5953
NOT ILLUSTRATED

4730-01-222-0943
NOT ILLUSTRATED

6810-01-358-4336
NOT ILLUSTRATED

II-006

5

Hand Receipt No:

[illegible]

SC 6545-8-W04

n

5110-00-234-6534
NOT ILLUSTRATED

4730-00-823-5316
NOT ILLUSTRATED

5330-00-088-9167
NOT ILLUSTRATED

5330-00-360-0595
NOT ILLUSTRATED

5330-00-612-2414
NOT ILLUSTRATED

5330-00-899-4509
NOT ILLUSTRATED

9150-01-226-4315
NOT ILLUSTRATED

II-008

SECTION II. ILLUSTRATED
COMPONENT LIST/HAND RECEIPT
FOR USE OF THIS HAND
RECEIPT SEE SECTION I


Hand Receipt No:

QUANTITY

30 May 06

[illegible]

SC 6545-8-W04



ILL. NO. 00003

4030-00-780-9350
NOT ILLUSTRATED

4720-01-392-2299
NOT ILLUSTRATED

4720-00-200-0361
NOT ILLUSTRATED

4720-00-876-8903
NOT ILLUSTRATED

u

4930-00-253-2478
NOT ILLUSTRATED

5330-00-741-7728
NOT ILLUSTRATED

II-010

SECTION II. ILLUSTRATED
COMPONENT LIST/HAND RECEIPT
FOR USE OF THIS HAND
RECEIPT SEE SECTION I.

From:

To:

Hand Receipt No:

9

END ITEM STOCK NUMBER		ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY								
6545-01-480-6913		WATER DIST & WASTE SE	SC 6545-8-W04	30 May 06									

ACT	STOCK NUMBER	ILL. NO	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY AUT	QUANTITY ON HAND				
									A	B	C	D	E
	5110-00-263-0349	00003	HANDLE FILE 4.5X1.25" 2 TYPE AND 2 SIZE		X	M	EA	2.00					
			80244 5110-00-263-0349										
	4030-00-780-9350		HOOK CHAIN "S" .105 WIRE DIA X 15/16 REACH CD PLD		X	U	HD	1.00					
			96906 MS87006-13										
	4720-01-392-2299		HOSE NONMETALLIC		X	U	FT	50.00					
			81348 ZZ-H-601										
	4720-00-200-0361		HOSE RUBBER	M	X	U	FT	100.00					
			08132 ZZH601										
	4720-00-876-8903		HOSE RUBBER 1 IN NOM SIZE BLACK OUTER JACKET		X	U	EA	100.00					
			70847 J40999										
	4930-00-253-2478		LUBRICATING GUN HAND LEVER OPERATED 14OZ CAPACITY		X	J	EA	1.00					
			1PL57 1142										
	5330-00-741-7728		PACKING PREFORMED AWR4	M	X	U	EA	20.00					
			81349 MILP11719										

4730-00-360-0715
NOT ILLUSTRATED

5325-00-926-5411
NOT ILLUSTRATED

4730-00-088-4298
NOT ILLUSTRATED

8030-00-889-3534
NOT ILLUSTRATED

7510-00-074-5124
NOT ILLUSTRATED

SECTION II. ILLUSTRATED
COMPONENT LIST/HAND RECEIPT
FOR USE OF THIS HAND
RECEIPT SEE SECTION I.

From:

To:

Hand Receipt No:

n

END ITEM STOCK NUMBER		ITEM DESCRIPTION		PUBLICATION NUMBER		PUBLICATION DATE		QUANTITY	
6545-01-480-6913		WATER DIST & WASTE SE		SC 6545-8-W04		30 May 06			

ACT	STOCK NUMBER	ILL. NO	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY AUT	QUANTITY ON HAND				
									A	B	C	D	E
	4730-00-360-0715		PLUG QUICK DISCONNECT PIPE COUPLING HALF PLUG 1 IN NOM SIZE	M	X	U	EA	5.00					
		24869	100-DP-AL										
	5325-00-926-5411		RING RETAINING STEEL 1.281 IN NOM OD	M	X	U	EA	30.00					
		81718	H01434M										
	4730-00-088-4298		SEAL		X	U	EA	5.00					
		72661	AWR14										
	8030-00-889-3534		TAPE ANTISEIZING POLYTETRAFLUOROETHYLENE F/USE IN OXYGEN SYSTEM		X	U	RO	25.00					
		52152	48 (1/4 IN.)										
	7510-00-074-5124		TAPE PRESSURE SENSITIVE ADHESIVE 60 YD X 2"	P	X	U	RO	2.00					
		80244	PPP-T-60 TY4CL1										

SECTION II. ILLUSTRATED
COMPONENT LIST/HAND RECEIPT
FOR USE OF THIS HAND
RECEIPT SEE SECTION I.

From:

To:

Hand Receipt No:

9

END ITEM STOCK NUMBER		ITEM DESCRIPTION		PUBLICATION NUMBER		PUBLICATION DATE		QUANTITY						
ACT	STOCK NUMBER	ILL.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	PEC	QTY AUT	QUANTITY ON HAND				
		NO								A	B	C	D	E

SECTION II. ILLUSTRATED
COMPONENT LIST/HAND RECEIPT
FOR USE OF THIS HAND
RECEIPT SEE SECTION I.

From:

To:

Hand Receipt No:

1

END ITEM STOCK NUMBER.

ITEM DESCRIPTION

PUBLICATION NUMBER

PUBLICATION DATE

QUANTITY

[illegible]

**SECTION II. ILLUSTRATED
COMPONENT LIST/HAND RECEIPT
FOR USE OF THIS HAND
RECEIPT SEE SECTION I.**

From:

To:

Hand Receipt No:

END ITEM STOCK NUMBER

ITEM DESCRIPTION

PUBLICATION NUMBER

PUBLICATION DATE

QUANTITY

[illegible]

SECTION II. ILLUSTRATED
COMPONENT LIST/HAND RECEIPT
FOR USE OF THIS HAND
RECEIPT SEE SECTION I.

From:

To:

Hand Receipt No:

n

END ITEM STOCK NUMBER			ITEM DESCRIPTION		PUBLICATION NUMBER		PUBLICATION DATE		QUANTITY					
ACT	STOCK NUMBER	ILL.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	PEC	QTY AUT	QUANTITY ON HAND				
		NO								A	B	C	D	E

SECTION III: THIS SC DOES NOT CONTAIN A SECTION III

SECTION IV: THIS SC DOES NOT CONTAIN A SECTION IV

SECTION V: NSN/ILLUSTRATION NUMBER CROSS REFERENCE


V-001

SECTION VI: NSNS DELETED FROM PREVIOUS PUBLICATIONS
AND
APPLICABLE REPLACEMENTS

By Order of the Secretary of the Army:

PETER J. SCHOOMAKER
General, United States Army
Chief of Staff

Official:


Joyce E. Morrow
Administrative Assistant to the
Secretary of the Army

Distribution:

To be distributed in accordance with the initial distribution number (IDN) 212122, requirements for SC 6545-8-W04.